
. Stacking

Friday 16:20:

DRF1-3 was off hard, and fanback voltage was down to 4.3MV. We didn't want to run this way over the weekend, so we worked to get the station back online. The Final Bias supply had an OV trip. Power cycling the supply brought it back, but the station would still not turn on due to a driver inhibit. We found the 20KV Glassman final HV PS had a blown 6A fuse #2. We replaced the fuse and the station came back to life. Afterwards, we tuned up the stations.

- We went about 14 hours without stacking due to upstream accelerator problems.
 Lifetime with 24.4mA was just under 1,500 hrs.
- When beam returned, we completed normal iterations of stack and transfer.
- Beam on target:
 - Ran about 7.25e12 at 11 turns on Saturday.
 - Sunday beam was lowered to 10 turns 7e12 (MI and Booster problems).
 - We went back up to 11 turns, but only got back to about 7.1e12.
- We stacked a total of 1144mA (average of 381mA/day) over the weekend.
- Peak stack rates were 23.56mA/hr, 24.09mA/hr and 24.3mA/hr
- PLC09 hung this morning around 04:30am. This PLC interfaces devices in the A60 stub in the Pbar Tunnel. This covers Core 2-4GHz low and medium level as well as Stacktail low level. There is a reset parameter. A:PLC09 was given a reset. The babysitter had to be turned off in able to get the Core 2-4GHz system back on.



. Transfers

- SDA problems had the transfer tables and plots not working. SDA experts came in and fixed this over the weekend.
- We unstacked a total of 1,178mA and 1100e10 made it to the Recycler in 100 transfers over 32 sets.
- Accumulator to MI efficiency was 97%

- Accumulator to RR efficiency was 93%
- Transfer Issues
 - Transfer 6973 missing A:IBEAM1. Investigating.
 - Transfer 6976 lost a transfer due to an intermittent abort of the sequencer.
 - Transfer 6964 was only 88% efficient, due to the larger 80mA stack.

Column 1 Pbar Transfer Shot #	Column 2 Recycler Shot #	Column 4 Transfer Time		Column 21 A:IBEAMB sampled on \$91 (A:IBEAM1), E10		Unstacked (mA)	23 R:BEAMS (R:BEAM E0[0])	24	Stashed	Acc to RR Eff	Column 27 MI DCCT SMALL BEAM (I:BEAMS), E10		Acc to MI Eff	Acc to MI2 Eff	Transfers	Sets
		1/28/2008	7:00:00 AM			1178.397			1099.58	0.93	1150.965	1143.119	97.67%	97.01%	100	32
6994	4456	Monday, January 28, 2008	7:11:02 AM	39.787	11.788	27.999	171.448	198.625	27.18	0.97	27.539	27.889	98.36%	99.61%	2	1
6993	4455	Monday, January 28, 2008	5:37:10 AM	40.788	10.588	30.200	143.958	172.606	28.65	0.95	29.581	29.571	97.95%	97.92%	3	1
6992	4454	Monday, January 28, 2008	4:08:16 AM	40.388	9.988	30.400	116.005	144.646	28.64	0.94	29.864	28.630	98.24%	94.18%	3	1
6991	4453	Monday, January 28, 2008	2:41:57 AM	39.388	9.588	29.800	87.940	116.263	28.32	0.95	29.555	29.066	99.18%	97.54%	3	1
6990	4452	Monday, January 28, 2008	1:20:40 AM	40.188	9.788	30.400	59.538	88.312	28.77	0.95	29.624	29.704	97.45%	97.71%	3	1
6989	4451	Sunday, January 27, 2008	11:48:14 PM	58.988	7.388	51.600	11.584	59.769	48.19	0.93	50.770	49.945	98.39%	96.79%	4	1
6988	4449	Sunday, January 27, 2008	9:07:32 PM	53.788	7.388	46.400	356.982	404.577	47.60	1.03	45.208	44.940	97.43%	96.85%	4	1
6987	4448	Sunday, January 27, 2008	6:45:08 PM	42.188	9.588	32.600	334.706	367.585	32.88	1.01	31.929	31.182	97.94%	95.65%	3	1
6986	4447	Sunday, January 27, 2008	5:09:54 PM	43.588	9.388	34.200	305.660	339.771	34.11	1.00	34.054	33.542	99.57%	98.08%	3	1
6985	4446	Sunday, January 27, 2008	3:27:31 PM	42.188	9.388	32.800	277.926	309.901	31.98	0.97	31.674	30.643	96.57%	93.42%	3	1
6984	4445	Sunday, January 27, 2008	1:53:37 PM	43.788	9.588	34.200	248.210	281.135	32.93	0.96	33.036	33.978	96.60%	99.35%	3	1
6983	4444	Sunday, January 27, 2008	12:16:20 PM	42.387	9.188	33.199	218.597	250.711	32.11	0.97	32.298	31.542	97.29%	95.01%	3	1
6982	4443	Sunday, January 27, 2008	10:43:12 AM	45.788	10.588	35.200	187.292	220.514	33.22	0.94	34.112	34.574	96.91%	98.22%	3	1
6981	4442	Sunday, January 27, 2008	8:59:24 AM	44.588	10.188	34.400	156.339	188.671	32.33	0.94	33.521	32.974	97.44%	95.85%	3	1
6980	4441	Sunday, January 27, 2008	7:15:09 AM	42.588	9.788	32.800	126.469	157.350	30.88	0.94	31.907	30.721	97.28%	93.66%	3	1
6979	4440	Sunday, January 27, 2008	5:42:20 AM	41.988	9.588	32.400	96.637	127.302	30.67	0.95	31.739	32.321	97.96%	99.76%	3	1
6978	4439	Sunday, January 27, 2008	4:08:35 AM	40.988	9.188	31.800	66.586	97.055	30.47	0.96	31.035	30.722	97.59%	96.61%	3	1
6977	4438	Sunday, January 27, 2008	2:38:40 AM	40.788	9.188	31.600	37.612	67.095	29.48	0.93	31.111	30.678	98.45%	97.08%	3	1
6976	4437	Sunday, January 27, 2008	1:02:22 AM	65.788	8.388	57.400	4.963	37.633	32.67	0.57	57.125	55.946	99.52%	97.47%	4	1
6975	4435	Saturday, January 26, 2008	10:09:07 PM	49.387	10.788	38.599	243.247	280.313	37.07	0.96	37.603	36.771	97.42%	95.26%	3	1
6974	4434	Saturday, January 26, 2008	8:13:17 PM	43.188	10.188	33.000	214.414	246.270	31.86	0.97	32.127	32.385	97.35%	98.14%	3	1
6973	4433	Saturday, January 26, 2008	6:38:18 PM	41.388	8.588	32.800	184.222	216.152	31.93	0.97	32.367	31.992	98.68%	97.54%	3	1
6972	4432	Saturday, January 26, 2008	5:02:56 PM	43.788	8.988	34.800	152.016	185.553	33.54	0.96	34.014	34.276	97.74%	98.49%	3	1
6971	4431	Saturday, January 26, 2008	3:23:38 PM	46.788	10.188	36.600	118.501	152.935	34.43	0.94	35.668	35.454	97.45%	96.87%	3	1
6970	4430	Saturday, January 26, 2008	1:33:20 PM	41.988	6.988	35.000	84.846	118.909	34.06	0.97	34.455	34.002	98.44%	97.15%	3	1
6969	4429	Saturday, January 26, 2008	11:37:37 AM	42.188	9.388	32.800	54.262	85.296	31.03	0.95	31.972	32.120	97.48%	97.93%	3	1
6968	4428	Saturday, January 26, 2008	10:00:03 AM	64.988	8.388	56.600	2.617	54.533	51.92	0.92	54.673	54.310	96.60%	95.95%	4	1
6967	4426	Saturday, January 26, 2008	7:01:26 AM	54.188	12.188	42.000	119.632	158.828	39.20	0.93	40.797	40.382	97.14%	96.15%	3	1
6966	4425	Saturday, January 26, 2008	4:54:40 AM	40.188	8.988	31.200	90.476	120.268	29.79	0.95	30.652	29.860	98.24%	95.71%	3	1
6965	4424	Saturday, January 26, 2008	3:23:46 AM	40.588	8.788	31.800	60.465	90.757	30.29	0.95	31.303	31.365	98.44%	98.63%	3	1
6964	4423	Saturday, January 26, 2008	1:21:48 AM	79.388	9.388	70.000	-0.233	_	61.55	0.88	67.038	68.033	95.77%	97.19%	4	1
6963	4422	Friday, January 25, 2008	7:07:11 AM	43.788	9.988	33.800	128.221	160.066	31.85	0.94	32.614	33.601	96.49%	99.41%	3	1

Studies Work

- Debuncher tune space investigation:
 - http://www-bd.fnal.gov/cgi-mach/machlog.pl?nb=pbar08&action=view&page= 35&scroll=false&load=
 - Explored both sides of the vertical 3/4 tune.
 - Explored changes in Chromaticity.
- One shot reverse protons during stacking
 - arrowgif
 - Experts finished wriing the TBT portion of the rapid transfers aggregate. The one shot TLGs are 21 seconds long,.

Requests

- Cycle Debuncher Busses the next time we have a 20 minute or more downtime. The Run Co has approved this.
- Debuncher Momentum Cooling, Phase 1:

- Characterize 1 hr of greatly diminished stacking
- Trombone changes
- Characterize again another 1 hr.
- One expert is away from the lab today, so tomorrow would be better, but could do today if the opportunity arises.
- The cooling characterizations require a long cycle time (maybe as long as 8 seconds), and greatly diminished stacking (only one band of the Momentum cooling is on during these measurements). May not be compatible with SY120.
- Run Co is holding off on this study until later in the week.
- One shot reverse protons during stacking
 - Continue development.

	0+h		٠.	+
• '	Oth	er i	ИC	otes

- Paul's Numbers
 - Saturday, January 26
 - Most in an hour: 23.56 mA at Sat Jan 26 05:59:55 CST 2008
 - □ Best: 24.69 mA on 09-Jan-08
 - □ Average Production 20.23 e-6/proton Best: 23.53 e-6/proton on 11/11/2007
 - Average Protons on Target 5.93 e12 Best: 8.77 e12 on 07/24/2007
 - □ Largest Stack .00 mA Best: 271.01 mA on 11/14/2007
 - Sunday, January 27
 - Most in an hour: 24.09 mA at Sat Jan 26 19:44:05 CST 2008
 - □ Best: 24.69 mA on 09-Jan-08
 - □ Average Production 18.23 e-6/proton Best: 23.53 e-6/proton on 11/11/2007
 - Average Protons on Target 7.10 e12 Best: 8.77 e12 on 07/24/2007
 - Largest Stack .00 mA Best: 271.01 mA on 11/14/2007
 - Monday, January 28
 - Most in an hour: 24.30 mA at Mon Jan 28 00:56:01 CST 2008
 - □ Best: 24.90 mA on 24-Jan-08
 - □ Average Production 18.79 e-6/proton Best: 23.53 e-6/proton on 11/11/2007
 - Average Protons on Target 6.60 e12 Best: 8.77 e12 on 07/24/2007
 - Largest Stack 58.87 mA Best: 271.01 mA on 11/14/2007
- Al's Numbers
 - Stacking
 - Pbars stacked: 1144.31 E10 П П
 - Time stacking: 54.70 Hr
 - □ Average stacking rate: 20.92 E10/Hr
 - Uptime
 - Number of pulses while in stacking mode: 88014
 - □ Number of pulses with beam: 80856
 - □ Fraction of up pulses was: 91.87%
 - The uptime's effect on the stacking numbers
 - □ Corrected time stacking: 50.25 Hr
 - Possible average stacking rate: 22.77 E10/Hr
 - Recycler Transfers
 - □ Pbars sent to the Recycler: 1145.93 E10
 - □ Number of transfers: 98
 - □ Number of transfer sets: 31
 - □ Average Number of transfer per set: 3.16
 - □ Time taken to shoot: 04.62 Hr
 - □ Time per set of transfers: 08.95 min
 - □ Transfer efficiency: 95.59%
 - Other Info
 - □ Average POT: 7.05 E12
 - □ Average production: 20.06 pbars/E6 protons
- Future of Debuncher Cooling Studies Good afternoon,

Good afternoon,

Valeri, Steve, and I met this afternoon to compare our analysis of the debuncher momentum cooling studies of the last few weeks. We have reached a consensus on some delay and gain changes to the system based on data taken Dec. 19 and Jan. 17. We each came up with optimum results, but some of them are not realizable due to physical constraints on delays and gain. All of these improvements may only generate a few percent overall improvement to the momentum cooling. We propose to perform the changes in two stages.

The first is a set of solutions by changing delays on the system trombones. This will not require a tunnel access and can be done parasitically while stacking. We have concluded that changes within the available range of the trombones are only a small fraction of one percent worse than the optimum calculated. During normal stacking cycles (2.2 seconds) we will first characterize the cooling performance of all four bands by doing a super cycle of averages on the 74 MHz Longitudinal schottky. We then make the thone changes and remeasure the momentum width. We must be able to measure a few percent improvement before proceeding with further changes. If the stacking with the changes looks acceptable, we should keep them in for some days to see if there really is any overall improvement.

The second stage would be to do the gain equalization in the tunnel. Here again, only a few percent gain on paper.

Agreed upon thone changes.

Band 1: vert upper -206 ps, horiz upper -204 ps

Band 2: no changes

Band 3: horiz lower +160ps, vert upper +149ps, hoirz upper +149 ps Band 4: vert lower -253ps, hoirz lower +148ps, vert upper -105ps, horiz

upper -250ps

Agreed upon gain changes

Band 1: upper remove 4 dB

Band 2: lower remove 3 dB, upper remove 2 dB

Band 3: lower add 1 dB

Band 4: lower remove 2 dB

regards,

Ralph